

**Price Schedule for Goods Offered from Within the Philippines**  
*[shall be submitted with the Bid if bidder is offering goods from within the Philippines]*

**For Goods Offered from Within the Philippines**

Name of Bidder \_\_\_\_\_ Project ID No. PBM 2024-09 Page \_\_\_ of \_\_\_

| 1  | 2  | 3                 | 4        | 5                       | 6   | 7  | 8  | 9                                      | 10   |
|--|--|-------------------|----------|-------------------------|---|--|--|--|--|
| Item   | Description  | Country of origin | Quantity | Unit price EXW per item | Transportation and all other costs incidental to delivery, per item | Sales and other taxes payable if Contract is awarded, per item | Cost of Incidental Services, if applicable, per item | Total Price, per unit<br>(col 5+6+7+8) | Total Price delivered Final Destination<br>(col 9) x (col 4) |
| <b>1 Lot Supply and Installation of CCTV Project</b> |  |                   |          |                         |   |  |  |  |  |
| 1  | <b>4MP Full-Color Dome Network Camera</b><br>SPEC: H.265+/H.265/H.264+/H.264, 1/3" Progressive Scan CMOS, Color/0.005 Lux@F1.6, 0 Lux with IR/White Light, 25fps/30fps (2560x1440,2304x1296, 2048x1280, 1920x1080), PoE/12V DC, 2.8/4 mm Fixed Lens, Built-In Microphone, micro-SD Slot, IK10, IP67.<br>FEATURE: Full-color and IR Night Vision (Up to 30 m), Smart Detection (Human |                   | 6 pcs    |                         |   |  |  |  |  |

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

|   |   |  |        |  |  |  |  |  |  |
|---|---|--|--------|--|--|--|--|--|--|
|   | &Vehicle Classification) (Motion Detection, Area Intrusion Detection, Line-Crossing Detection, Camera Tampering Detection, Abandoned Object Detection, Object Removal Detection, Area Entrance Detection, Area Exiting Detection  |  |        |  |  |  |  |  |  |
| 2 | <b>4MP Outdoor Full-Color Bullet Network Camera</b> SPEC<br>H.265+/H.265/H.264+/H.264, 1/3" Progressive Scan CMOS, Color/0.005 Lux@F1.6, 0 Lux with IR/White Light, 25fps/30fps (2560x1440,2304x1296, 2048x1280,1920x1080), PoE/12V DC, 2.8/4/6mm Fixed Lens, Built-In Microphone, Speaker, micro-SD Slot, IP66<br>FEATURE: Full-Color and IR Night Vision (Up to 30 m), Active Defense, Two-Way Audio, On-Board Storage, Smart Detection (Human &Vehicle Classification) (Motion Detection, Area Intrusion Detection, Line-Crossing Detection, Camera Tampering Detection, Abandoned Object Detection, Object Removal Detection, Area Entrance Detection |  | 11 pcs |  |  |  |  |  |  |

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

|   |   |  |        |  |  |  |  |  |  |
|---|---|--|--------|--|--|--|--|--|--|
| 3 | <p><b>4MP Pan/Tilt Network Camera</b><br/> SPEC: H.265+/H.265/H.264+/H.264, 1/1.8" Progressive Scan CMOS, Color/0.0005 Lux@F1.0, 0 Lux with White Light, 25fps/30fps (2688x1520,2304x1296, 2048x1280, 1920x1080), PoE/12V DC, 4 mm Fixed Lens, Built-In<br/> Microphone, Speaker, micro-SD Slot, IP66<br/> FEATURE: Color Pro Night Vision (Up to 30 m), AI Pro (Face Capture, People &amp; Vehicle Analytics), Customized Patrol, Automatic Tracking, Active Defense, Two-Way Audio, On-Board Storage, Smart Detection (Human &amp;Vehicle Classification) (Motion Detection, Area Intrusion Detection, Line-Crossing Detection, Camera Tampering Detection, Abandoned Object Detection, Object Removal Detection, Area Entrance Detection</p> |  | 10 pcs |  |  |  |  |  |  |
|---|---|--|--------|--|--|--|--|--|--|

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

|   |   |  |        |  |  |  |  |  |
|---|---|--|--------|--|--|--|--|--|
| 4 | <p><b>NVR</b><br/> Protocol: TCP/IP, DHCP, DNS,<br/> NTP, UPnP Incoming Bandwidth:<br/> 80 Mbps<br/> Outgoing Bandwidth: 60 Mbps<br/> PoE: Standard: 802.3af/at, PoE Ports: Ports 1-8<br/> PoE Budget: 113 W<br/> External Power Supply: 53.5V<br/> DC/2.43 A Power Consumption:<br/> 4.82 W (without disk)<br/> Network Interface: 1 RJ-45 10/100 Mbps Self-Adaptive<br/> Ethernet Interface<br/> USB Interface: 2× USB 2.0<br/> SATA: 1 SATA Interface Capacity: Up to 10 TB<br/> Video Input: 8-Channel IP Video Input, up to 8 MP Resolution<br/> Recording Resolution:<br/> 8MP/5MP/4MP/3MP/1080p/UXGA/720p/VGA/4CIF/D<br/> CIF/ 2CIF/CIF/QCIF<br/> HDMI Output Resolution: 1 Channel, Resolution:<br/> 3840x2160/30Hz,1920x1080/60Hz,<br/> 1680x1050/60Hz, 1440x900/60Hz,<br/> 1280x1024/60Hz,<br/> 1024x768/60Hz, 1280x720/60Hz<br/> VGA Output Resolution: 1 Channel, Resolution:<br/> 1920x1080/60Hz,1680x1050/60Hz,</p> |  | 10 pcs |  |  |  |  |  |
|---|---|--|--------|--|--|--|--|--|

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

|   |  |  |        |  |  |  |  |  |  |
|---|--|--|--------|--|--|--|--|--|--|
|   | <p>1440x900/60Hz,1280x1024/60Hz,<br/>1280x720/60Hz,<br/>1024x768/60Hz<br/>Decoding Format: H.265+/H.265/<br/>H.264+/H.264<br/>Live View/ Playback Resolution:<br/>8MP/5MP/4MP/3MP/1080p/UXGA/720p/V<br/>GA/4CIF/<br/>DCIF/2CIF/CIF/QCIF<br/>Synchronous Playback: 8 Channel<br/>Capability: 2-ch @ 8MP, 4-ch @ 4MP, 8-ch @<br/>2MP</p> |  |        |  |  |  |  |  |  |
| 5 | <p><b>A10/100/1000 Mbps RJ45 to 1000 Mbps<br/>Single-mode SC WDM Bi-Directional<br/>Fiber Converter</b><br/>PORT: 1× Gigabit SC Port, 1× Gigabit RJ45<br/>Port (Auto<br/>MDI/MDIX)<br/>SPEC: Full-duplex, Tx:1550 nm, Rx:1310<br/>nm, up to 20 km, Chassis TL-FC1420 rack-<br/>mountable</p>   |  | 10 pcs |  |  |  |  |  |  |

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

|   |  |  |        |  |  |  |  |  |
|---|--|--|--------|--|--|--|--|--|
| 6 | <b>B10/100/1000 Mbps RJ45 to 1000 Mbps Single-mode SC WDM Bi-Directional Fiber Converter</b><br>PORT: 1× Gigabit SC Port, 1× Gigabit RJ45 Port (Auto MDI/MDIX)<br>SPEC: Full-duplex, Tx:1550 nm, Rx:1310 nm, up to 20 km, Chassis TL-FC1420 rack-mountable |  | 10 pcs |  |  |  |  |  |
| 7 | <b>48V Passive PoE Injector Adapter</b><br>PORT: 1× Gigabit PoE Port, 1× Gigabit Non-PoE Port<br>SPEC: Data and Power Carried over The Same Cable, 48 V Power Input, 18 W PoE Power, Plastic Case  |  | 10 pcs |  |  |  |  |  |
| 8 | <b>HDD</b><br>10TB WD Purple 3.5" Surveillance   |  | 10 pcs |  |  |  |  |  |

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

|   |  |  |       |  |  |  |  |  |
|---|--|--|-------|--|--|--|--|--|
| 9 | <b>Desktop PC</b><br>Motherboard: Intel H610 Chipset<br>Motherboard<br>Processor: Intel Core i5-12400F<br>Processor 18M Cache up to 4.40 GHz;<br>6 Cores 12Threads (Discrete Graphics<br>Required)<br>Graphics: 8GB Nvidia RTX4090<br>System Memory: 16GB DDR4 3200MHz<br>System<br>Memory<br>M.2 SSD Storage: 256GB M.2 NVME SSD<br>Drive<br>Chassis: Mid Tower Form Factor (2 Front<br>USB 3.0, 1 Type C Port) Power Supply: 700<br>Watts 80 Plus High-Efficiency Power<br>Supply Operating System: Microsoft<br>Windows 11<br>Professional UPS - Protect Your<br>Investment: APC<br>BVX650I-PH<br>Back-up UPS AVR 650va 360 Watts 4<br>Sockets<br>Keyboard & Mouse Bundle Mouse Pad |  | 1 set |  |  |  |  |  |
|---|--|--|-------|--|--|--|--|--|

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

|    |  |  |          |  |  |  |  |  |  |
|----|--|--|----------|--|--|--|--|--|--|
| 10 | <b>USB-C Monitor 27"</b> with 99% sRGB & 1.07B colors<br>4K UHD (2560 x 1440) at 60 Hz   IPS with 350cd/m <sup>2</sup> brightness   3W integrated stereo speakers   Height, pivot (rotation), swivel, tilt   2 x HDMI, USB-C with DisplayPort<br>1.2 mode & Power Delivery up to 65W, Audio line-out |  | 2 pcs    |  |  |  |  |  |  |
| 11 | <b>Mini Fig.8 Cable (2KM)</b> , Galvanized, (Premium) Self-Supporting Fiber Optic Cable  |  | 1 roll   |  |  |  |  |  |  |
| 12 | <b>CAT6 UTP Cable</b>  |  | 10 rolls |  |  |  |  |  |  |
| 13 | <b>S-Clamp Tension Holder</b>  |  | 100 pcs  |  |  |  |  |  |  |
| 14 | <b>CCTV Stainless Box</b><br>400MM*300MM*180MM 0.4mm Thickness   |  | 11pcs    |  |  |  |  |  |  |
| 15 | <b>Electrical Drop Cable #16</b>   |  | 500m     |  |  |  |  |  |  |
| 16 | <b>Safety Circuit Breaker 15A</b>  |  | 11 units |  |  |  |  |  |  |
| 17 | <b>THHN #16 Electrical Wire</b>  |  | 6 rolls  |  |  |  |  |  |  |

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_



|              |   |  |        |  |  |  |  |  |  |
|--------------|---|--|--------|--|--|--|--|--|--|
| 18           | <b>150 x 150 x 70mm Waterproof Box</b>  |  | 27 pcs |  |  |  |  |  |  |
| 19           | <b>Installation, Commissioning, Testing, User Orientation, and Miscellaneous.</b> |  | 1 lot  |  |  |  |  |  |  |
| <b>Total</b> |   |  |        |  |  |  |  |  |  |

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_