LCD Projector	2	
Usage: Outdoor	_	
Projection System 3LCD, 3-chip technology	ļ	
USAGE: PORTABLE OUTDOOR		
includes:		
Wifi dongle (if not built-in)	ļ	
Power adapter		
VGA Cable		
Remote control with battery		
Lens cap		
Carrying case		
Tripod screen		
LCD Panel.59-inch with MLA (D8)		
•		
Offset 0:1		
	Usage: Outdoor Projection System 3LCD, 3-chip technology USAGE: PORTABLE OUTDOOR includes: Wifi dongle (if not built-in) Power adapter VGA Cable Remote control with battery Lens cap Carrying case User guide Tripod screen LCD Panel .59-inch with MLA (D8) OPTICAL Zoomt-1.2 (Optical Zoom) Screen Siz&0" to 300" [0.67 to 6.81 m] (Zoom:Wide) 30" to 300"[0.80 to 8.18 m] (Zoom:Tele) Projection Distanc&0" screen 1.35 - 1.62 m Throw Ratid .04 (Zoom:Wide), 1.26 (Zoom:Tele) Projection Lens F Numbet .58-1.7 Projection Lens Focal Length 3.52mm-16.22mm Focus Methoen	Usage: Outdoor Projection System 3LCD, 3-chip technology USAGE: PORTABLE OUTDOOR includes: Wifi dongle (if not built-in) Power adapter VGA Cable Remote control with battery Lens cap Carrying case User guide Tripod screen LCD Pandi.59-inch with MLA (D8) OPTICAL Zooni-1.2 (Optical Zoom) Screen Siz80" to 300" [0.67 to 6.81 m] (Zoom:Wide) 30" to 300"[0.80 to 8.18 m] (Zoom:Tele) Projection Distanc60" screen 1.35 - 1.62 m Throw Ratid.04 (Zoom:Wide), 1.26 (Zoom:Tele) Projection Lens F Numbet.58-1.7 Projection Lens Focal Length3.52mm-16.22mm Focus Methol/Manual Focus

	(Item 3 LCD Projector continuation)		
	Colour Light Output 2,600 Lumens		
	White Light Output 2,600 Lumens		
	Resolution: WXGA		
	Native Aspect Ratio: 16:10		
	Contrast Ratio: 2,000:1		
	Lamp Hours Normal/Eco: 4,000/4,000 Hours		
	Lamp Type 205 W UHE (E-TORL)		
	Keystone Correction Vertical: -45 degrees to +45 degrees		
	Horizontal: -30 degrees to +30 degrees		
	Colour Reproduction Up to 1.07 billion colours		
	Colour Processing 10 bit		
	CONNECTIVITY		
	Input: Video 1 x RCA (Yellow), 1 x Component (via D-sub 15-pin)		
	Input: Computer 1 x D-sub 15-Pin (RGB), 1 x USB 2.0 type B		
	Input: USB Memory Device 1 x USB 2.0 type A		
	Input: Three-In-One USB Display 1 x USB 2.0 type B		
	Input: Digital 1 x HDMI		
	Input: Audio 1 x Stereo mini jack, 1 x HDMI		
	Input: Control 1 x USB 2.0 type B		
	Wireless Connectivity: Yes		
4	Interactive Pen Display		
7	Pen and Tablet	6	
1	13:3HD Display (1920x1080) with wide viewing angle, pressure (2048 levels) and tilt sensitive pen with 3-position		
	display stand and with 3in1 cable for PC and MAC, comfotable, compact, lightweight design		
	With installer/user guide		
5	Interactive White Board	1	
	79" Dual touch, 4x3 aspect ratio, multi touch interactive whiteboard, software included (for conference room) with	'	
	minimum 1 year warranty		
	With installer/user guide		

6	Short Throw Projector	8	
	Projector with Projector Screen, ceiling mount brackets and includes installation.		
	LCD:		
	Size: 0.67" (D10, C2fine) Native Resolution		
	WUXGA		
	Projection Lens:		
	Type		
	Optical Zoom (Manual) / Focus (Manual) F-Number 1.50 - 1.71		
	Focal Length: 20.42 - 24.50 mm		
	Zoom Ratio: 1.0 - 1.2		
	Throw Ratio: 1.38 - 1.68 (Wide - Tele)		
	Lamp		
	Type: 200W UHE		
	Life (Normal/Eco)*f: 5,000 hours / 10,000 hours		
	District 1		
	Brightness*2 Colour Light Output:3,200lm		
	Contrast Ratio	i	
	15,000:1		
1	Connectivity Analog Input		
	D-Sub 15 pin 1 (Blue molding)		
	Composite RCA x 1 (Yellow)		

(Item 6 Short Throw Projector)
Digital Input
HDMI: 2 (1 supports MHL)
Audio Input: 2 RCA (White/Red)

USB Interface
USB Type A:1 (for USB Memory, Document Camera,Firmware Update)
USB Type B:1 (for USB Display, Mouse, K/B, Control, Firmware Update)

Network
Wireless:Built in
Wireless Specifications
Supported Speed For Each Mode*3
IEEE 802.11b: 11 Mbps, IEEE 802.11g: 54 Mbps, EEE 802.11n: 130 Mbps
Wireless LAN Security
WPA-PSKWPA2-PSK(TKIP/AES), WPA2-PSK(AES)
Supported Connection Mode
Infrastructure, Access Point

7	Projector with Projector Screen, ceiling mount brackets and includes installation.	2	
	LCD:		
	Size: 0.67" (D10, C2fine)		
	Native Resolution		
	WUXGA		
	Projection Lens:		
	Type		
	Optical Zoom (Manual) / Focus (Manual)		
	F-Number: 1.50 - 1.71		
	Focal Length: 20.42 - 24.50 mm		
	Zoom Ratio: 1.0 - 1.2		
	Throw Ratio: 1.38 - 1.68 (Wide - Tele)		
	Lamp		
	Type: 200W UHE		
	Life (Normal/Eco)*: 5,000 hours / 10,000 hours		
	Brightness**		
	Colour Light Output:3,200lm		
	Contrast Ratio		
	15,000:1		
		1	I .

(Item 7 Projector continuation) Connectivity			
Analog Input			
D-Sub 15 pin1 (Blue molding)			
CompositeRCA x 1 (Yellow)			
Digital Input			
HDMI: 2 (1 supports MHL)			
Audio Input: 2 RCA (White/Red)			
USB Interface			
USB Type A:1 (for USB Memory, Document Came	era,Firmware Update)		
USB Type B:1 (for USB Display, Mouse, K/B, Conf	rol, Firmware Update)		
Network		1	
Wireless:Built in			
Wireless Specifications			
Supported Speed For Each Mode*3 IEEE 802.11b: 11 Mbps, IEEE 802.11g: 54 Mbps,	FEE 802.11n: 130 Mbps		
Wireless LAN Security			
WPA-PSK/WPA2-PSK(TKIP/AES), WPA2-PSK(A	ES)	ĺ	
Supported Connection Mode			
Infrastructure, Access Point		1	
	A STATE OF THE STA		
	9- Server		

1	Server	1	1
	1U Rack Server		
	Intel Xeon E5-2620 v3 2.4Ghz		
	Intel C610 15MB Cache		
	16GB DDR4-2133/PC4-17000		
	Serial ATA/600 6Gb/s SAS Controller		
	2 X 600GB SAS 6Gb/s		
	2 gigabit ethernet		
	Memory card supported: microSD		
	Max turbo speed: 3.20GHz		
	Network (RJ45): yes		
	1 PCI express x16 slots		1
	1 PCI express x8 slots		ĺ
	2 processors supported		
	2 expansion slots		
	24 total memory slots		
	5 USB 3.0 ports		
	8GT/s quickpath interconnect		
	Remote management		
	WEEE		1
	With VGA, USB2.0 and DVD-ROM		
		L	 _

•

2	Rack Server	1	
	Processor: Intel Xeon E5-2640 v3 2.6GHz, 20M Cache, 8.00GT/s QPI, Turbo, HT, 8C/16T (90W) Max		
	Mem 1866MHz		
	Memory / Max: 2 x 8GB RDIMM, 2400MT/s, Single Rank, x8 Data Width		
	HD Capacity: 4 x 1TB 7.2K RPM NLSAS 6Gbps 2.5in Hot-plug Hard Drive,3.5in HYB CARR (max 8		
	HDD)		
	OpticalDVD+/-RW, SATA, Internal		
	RAID: RAID 1 for H330/H730/H730 (2 HDDs or SSDs)		
	RAID: PERC H730 Integrated RAID Controller, 1GB Cache		
	Server Management: iDRAC8 Enterprise, integrated Dell Remote Access Controller, Enterprise Onboard NICsOn-Board LOM 1GBE (Dual Port for Towers, Quad Port for Racks)		
	Power Supplies: Single, Hot-plug Power Supply (1+0), 750W		
	Static Rail: ReadyRails Sliding Rails With Cable Management Arm		
	Warranty: 3 years warranty NBD with onsite full support		
	After Sales Service: includes setup and installation		
	That dated do not not the same and the same		
	Lot 10- Architecture Laboratory		
1	Branded Desktop Computer	30	
	Operating System: Windows 10		
	Processor: Intel Core i7 6th Gen		
	RAM: 8GB or higher		
	storage: 1TB HDD 72000 RPM		
	Graphics: at least 2GB or 4GB ddr5 video/graphics card		
	Super multi-drive		
	Integrated HD 5.1-channel surround sound WLAN 802.11b/g/n wireless LAN and Bluetooth 4.0 LE LAN Gigabit Ethernet		
	F/S I/O Ports: D-Sub port(s), HDMI port(s), LAN port(s), Audio jack(s), USB 2.0 port(s)		
	Accessories: Keyboard, mouse, speakers		
	Software: (Perpetual License) MS Office Home and Business 2016 with anti virus		
2	3kVA UPS	1	
3	Fabricated computer tables	30	
	Includes power and network		

4	Ergonomic Computer Chairs	30	
5	Projector Wireless At least 3200 im	1	
	Ceiling mounted Power-on and off through switch With VGA and HDMI connection		
6	Structured cabling For 30 computers Includes but not limited to: 2 units layer 2 manageable switch 1 unit 24 ports patch panel	1	
7	Setup and installation Layout: See Lot 11 Item 7 Computer Lab Plan.JPEG Computer table and chairs setup Computers and accessories setup Installation and activation of software Setup and installation of projector Other necessary networking and electrical wiring requirements	1	
8	Warranty At least 1 year on hardware		
	Lot 11- Communication Arts Laboratory		

.

1	Branded Desktop Computer 15 units All-in-one Display: 21.5-inch	1	
	3.3GHz quad-core Intel i5 turbo boost up to 3.1GHz 8Gb onboard memory (configurable to 16GB) 1TB (54000 RPM) Hard drive Intel Iris Pro Graphics 6200		
	Display 4096x2304 resolution Operating System included Software: (<i>Perpetual license</i>) Microsoft Office Home and Business (for 15 units) Accessories: keyboard, mouse		
2	Computer table Design: See attached Lot 11 Item 2 Computer Table Design.pdf Inclusive of network and power cabling and installation		
	Warranty At least 1 year on hardware		
1	Lot 12- Econometrics Laboratory Laptop OS: Windows 10 SL Processor: Intel Core i7 Memory: 8GB Storage: 1TB 3.5" 7200 RPM HD Graphics Super multidrive Integrated HD audio 5.1 channel surround sound Connectivity: WLAN 802.11b/g/n wireless LAN and Bluetooth 4.0 LE LAN Gigabit Ethernet F/S I/O Ports: D-Sub port(s), HDMI, LAN port(s), Audio jack(s), USB3.0 port(s) Rear I/O Ports: D-sub port(s), HDMI-port(s), LAN port(s), Audio jack(s), USB2.0 port(s) Accessories: USB Keyboard, mouse, speakers Approximately 15" LED display Software: MS Office Home and Business 2016(Perpetual)	15	

Computer table Design: See attached Lot 12 Item 2 Computer Tables.doc Dimension: (1.36 x .61m); Room dimension: 37sqm Fabricated, wooden finish With network and power provisions Inclusive of network and power cabling and installation	14	
Wireless Network access point specifications: 3x3 MIMO; 2.4GHz (450 Mbps max rate) & 5GHz (1.3 Gbps max rate) radios; 6 integrated omni-directional antennas; virtual controller technology; must be compatible with ARUBA Controller 7205	1	
Warranty and Service Includes quarterly maintenance for 3 years Next business day temporary service unit replacement of defective units	1	
Lot 13-Software — Citation Software		
Bibliographical, Citation, and referencing	1	
Lot 14-Software - Office Use		
Desktop Publishing Software	3	
Microsoft Project Standard 2016 64 bit (latest model)	15	
MS Office Professional	3	
Lot 15- Software – Plagiarism Detection		
Subscription Turnitin Online Plagiarism Detection / Originality Checking Software 5 years Instant formative feedback on faculty/student writing, online checking, online feedback and grading summative assessment of faculty/student writing	1	
Lot 16-Software - Data Analysis		
NVIVO 11 Qualitative Data Analysis Software for Social Sciences	2	
	Design: See attached Lot 12 Item 2 Computer Tables.doc Dimension: (1.36 x.61m); Room dimension: 37sqm Fabricated, wooden finish With network and power provisions Inclusive of network and power cabling and installation Wireless Network access point specifications: 3x3 MIMO; 2.4GHz (450 Mbps max rate) & 5GHz (1.3 Gbps max rate) radios; 6 integrated omni-directional antennas; virtual controller technology; must be compatible with ARUBA Controller 7205 Warranty and Service Includes quarterly maintenance for 3 years Next business day temporary service unit replacement of defective units Lot 13-Software — Citation Software Bibliographical, Citation, and referencing Lot 14-Software — Office Use Desktop Publishing Software Microsoft Project Standard 2016 64 bit (latest model) MS Office Professional Lot 15- Software — Plagiarism Detection Turnitin Online Plagiarism Detection / Originality Checking Software 5 years Instant formative feedback on faculty/student writing, online checking, online feedback and grading summative assessment of faculty/student writing NVIVO 11	Design: See attached Lot 12 Item 2 Computer Tables.doc Dimension: (1.36 x. 61m); Room dimension: 37sqm Fabricated, wooden finish With network and power provisions Inclusive of network and power cabling and installation Wireless Network access point specifications: 3x3 MIMO; 2.4GHz (450 Mbps max rate) & 5GHz (1.3 Gbps max rate) radios; 6 integrated omni-directional antennas; virtual controller technology; must be compatible with ARUBA Controller 7205 Warranty and Service Includes quarterly maintenance for 3 years Next business day temporary service unit replacement of defective units Lot 13-Software — Citation Software Bibliographical, Citation, and referencing 1 Lot 14-Software — Office Use Desktop Publishing Software 3 Microsoft Project Standard 2016 64 bit (latest model) MS Office Professional Lot 15- Software — Plaglarism Detection Subscription Turnitin Online Plagiarism Detection / Originality Checking Software 5 years Instant formative feedback on faculty/student writing, online checking, online feedback and grading summative assessment of faculty/student writing NVIVO 11

2	SPSS Quantitative Data Analysis Software for Social Sciences with training	3	
	Lot 17-Software - Video Editing		
1	Video Editing Software	1	
	Lot 18-Software – Mathlab		
1	Mathlab Software with optimization toolbox image processing toolbox statistics and machine learning toolbox global optimization toolbox	5	
	Lot 19- Software - STATA		
1	STATA 14 IC-10 User student lab license for windows, perpetual license	1	
2	STATA 14 IC-5 User Academic License for Windows, perpetual license	1	

	OTATA 44 Described On a different control of the co	T		\neg
3	STATA 14 Detailed Specifications			
	STATA 14 PDF Documentation Set	·		
	(Includes the following PDF documentation)			
	Getting Started with Stata for Windows Getting Started with Stata for Mac			- 1
	Getting Started with Stata for Unix			
1	Getting States With State for Only			i
	User's Guide			
	Base Reference Manual	}		
	Data-Management Reference Manual			
	Graphics Reference Manual			
	Functions Reference Manual New			
	Subject-specific statistics reference manuals:			
	Bayesian Analysis New			
	Item Response Theory New			
1	Longitudinal-Data/Panel-Data			
	Multilevel Mixed-Effects			
	Multiple-Imputation			-
	Multivariate Statistics			
	Power and Sample-Size			
	Structural Equation Modeling			
	Survey Data Survival Analysis			- 1
	Time Series			
	Treatment Effects			
ŀ	Troublett Endow			
	Programming reference manuals:	****	A CONTRACTOR OF THE CONTRACTOR	
	Lot 20- SOM IT Equipment & Peripherals			
				_

	1 1	
:1		
/178°		
vs, Mac		
A cables for laptop connection		
USB Keyboard	15	
	15	
	4	
	3	
ws 10		
OORPM		
rd, mouse and speakers		
Home and Rusiness 2016/nornetual)		
nome and business 20 ro(perpetual)		
ed et left 2.1	r/8°/178° lows, Mac /GA cables for laptop connection ad, USB Keyboard ed	Id, USB Keyboard 15 15 16 17 18 18 19 19 19 19 19 19 19 19

6	UPS	3	
	1KVA Back UPS		
	Output Power Capacity: 600 Watts / 1000 VA		
	Nominal Output Voltage: 230V		
	Output Connections: (2) IEC 320 C13 (Surge Protection), (6) IEC 320 C13 (Battery Backup)		
	Nominal Input Voltage: 230 V		
	Input Frequency: 47 - 63 Hz +/- 3 Hz		
	Battery Type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte : leakproof (RBC32)		
	Typical Recharge / Backup time: 15 hour recharge time, 16.6min half load 300w, 5.9min full load 600w		
	Control Panel: LED status display with On Line : On Battery : Replace Battery and Overload indicators		
	Audible Alarm: Alarm when on battery : distinctive low battery alarm : overload continuous tone alarm		
	Dataline Protection: USB Port / RJ-11 Modem/Fax/DSL protection (two wire single line),RJ45 10/100 Base-T		
	Ethernet protection		
	Surge Energy Rating: 180 Joules		
7	Smart TV	2	
1	60" UHD Flat; can access Skype & Youtube, w/ wireless LAN Built-in		
	Resolution: 3840 x 2160		
	Ultra clear panel		
	HD Audio		
	Connectivity: HDMI, USB, Composite in, Digital Out		
	Audio: Dolby Digital Plus		
	Accessory: mini wall mount support		
	With installation to SOM rooms		

8	LCD Projector	3	
	3LCD Technology		
	RGB liquid crystal shutter projection system	ł	
	Native resolution: WXGA		
	Wireless LAN		
	Brightness: 3200lm		
	Throw ratio: 1.30-1.56 (wide-Tele)		
	Life (Normal/Eco): 5,000hrs/10,000hrs		
	Screen Size: 33"-320"		
	Contrast ratio: 15,000:1		
	Connectivity: Composite, S-Vidio, HDMI, USB		
	Warranty: 3 years on parts; 1 year on lamp or 1000hrs whichever comes first	1	
	Lot 21-Laptop		
1	LAPTOP COMPUTER	22	
	15.6" 16:9HD		
	Processor: Intel Core i7-5500U 2.4 GHZ Processor (4M Cache, up to 3.00GHZ		
	Operating System: Windows 10		
	Memory: 4GB DDR3L 1600MHz SDRAM		
	Storage: 1TBHDD		
	Optical Drive: Super-Multi DVD		
	Card Reader: 3in1 card reader (SD/SDHC/SDXC)		
	Software Inclusion: (Perpetual License)OS Windows with Microsoft Office Home and Business 2016		
	edition & Internet Security/Virus Scanner Accessories: laptop bag/Backpack, wireless mouse, Headset,		
	HDMI connector for projector		
1			

2	Laptop	5	
	Usage: Outdoor		
	Processor: Intel i5 Processor (5 th gen), 2.2GHz or better		
	Memory: at least 4GB		
	Hard drive: 1TB HDD + 16GB SSD	İ	
	Screen size: approx. 14"		
	Display: LED, antiglare		
1	Resolution: FHD		
	Video: Integrated HD Graphics 5500		
	Audio: High definition		
	Operating System: Windows 10 64bit		
	Bluetooth: Dual Band wireless-AC + Bluetooth 4.0		
1	Webcam: HD capable	1	
1	Microphone: dual array		
	Ports: VGA, miniDP, USB, Integrated Smart Reader, mic/headphone combo, RJ45, FPR, 14-in-1 card reader		
	Super multi-drive DVD, card reader		
	Battery: 3 cell front and 3 cell rear		
	Accessories: headset with microphone, laser pointer/presenter		
	Ruggedness and durability tested against high pressure, humidity, vibration, dust, etc Other inclusions: MS Office Home and Business 2016		
	Portable external DVD RW Drive		
1	Fortable external DVD RVV Drive		

3	Laptop	3	
	15.6" LED antiglare FHD		
	Processor: Intel Core i5 processor (5 th gen), 2.2GHz or better	1	
1	1TB HDD	1	
	Operating System: Windows 10		
	Memory: at least 4GB		
	Optical Drive: Super-multi DVD		
	Video: Integrated HD Graphics 5500		
	Audio: High definition		
	Bluetooth: Dual band wireless-AC + Bluetooth 4.0		
	Webcam: HD capable	1	1
	Microphone: dual array		
	Ports: VGA, miniDP, USB, Integrated Smart reader, mic/headphone combo, RJ45, FPR, 14-in-1 card reader		
1	Battery: 3-cell front and 3 cell rear		
	Software inclusion: Microsoft Office Home and Business 2016 edition		
4	Laptop	1	
'	Usage: Office productivity		
	Processor: Intel i3 Processor		
	Memory: at least 4GB		
	Hard drive: at least 500GB HDD		
	Screen size: approx. 14"		
	Display: LED		
	Resolution: FHD		
1	Audio: High definition	1	
	Operating System: Windows 10 64bit		1
1	Integrated LAN: fast ethernet, WLAN+Bluetooth 4.0		
1	Ports: Full Size HDMITM 1.4a		
	(2) USB 3.0		
	(1) USB 2.0		
	(1) VGA Super multi-drive DVD, card reader		
	Battery: 24 Whr		
	Accessories: Mouse, other accessories		
1	, , , , , , , , , , , , , , , , , , , ,		
1			

5	Laptop	2	
	13,3-inch (diagonal) LED-backlit Retina display		
	3.1GHz dual-core Intel Core i7 processor		
	Turbo Boost up to 3.4GHz		
	Up to 10 hours battery life1		
	Up to 1TB SSD2		
	Force Touch trackpad		
	1.58 kg (3.48 pounds)		
	Additional accessories:		
	VGA Adpator for projector		
	USB 3.0 to Ethernet Adaptor		
	HDMI connector for projector		
	USB Optical Mouse		
	Headset		
6	Laptop	3	
	Intel Core i7-6700HQ Quad Core 6M Cache, up to 3.5 GHz		
	Hard Drive: 500 SSD		
	RAM Included: 16 GB DDR4 SDRAM, 2133 Mhz		
	RAM Slots: 2 DIMM Slot(s)		
	Release OS Version : Windows 10		
	Screen Size: 15.6 inch (Touch Screen)		
	Pixel Density: 282 PPI		
	Display Technology: IGZO		
	Resolution: 3,840 x 2,160 Pixels		
	Aspect Ratio: 16:9		
	Graphics Card: NVIDIA GeForce GTX 960M		
	Audio Features: Waves MaxxAudio Pro		
	Battery Type: Lithium Ion (Li-Ion)		
	Battery Details: 6-Cell Lithium-Ion 84 Whr	1	
	Measurements: 14.06 in. x 9.27 in. x 0.66 in.		
	Wireless Connectivity: DW1830 3x3 802.11ac 2.4/5GHz + Bluetooth 4.1		
	A/C Adapter: 130W AC adapter		

tem 6 Laptop)	W. A. C.
orts: 1 HDMI	
USB 3.0 with PowerShare	
Kensington Lock slot or Noble Lock	
SD card reader (SD, SDHC, SDXC)	
Headphone Output	
Thunderbolt™ 3 Supports:	
Power In / Charging	
PowerShare	
Thunderbolt 3 (40Gbps Bi-Directional)	İ
3.1 USB Gen 2 (10Gbps)+	
VGA, HDMI, Ethernet and USB-A	
via Dell Adapter (Sold Separately)	
exterior Chassis Materials: CNC machined aluminum	
dge-to-edge Corning® Gorilla® Glass NBT™ on 4K Ultra HD display	
Carbon fiber composite palm rest with soft touch paint	
(eyboard: Full size, backlit chiclet keyboard; 1.3mm travel	
Memory Slots: 2 x SoDIMMs	1
ouchpad: Precision touchpad, seamless glass integrated button	}
Dimensions: Height: 0.45 – 0.66" (11-17mm) Width: 14.06" (357mm) Depth: 9.27" (235mm)	
Veight: 4.4 lbs (2kg)3 with 84Whr battery, SSD and touch display	
Additional accessories: HDMI to VGA Adpator	
USB 3.0 to Ethernet Adaptor	
3 in 1 Mini Display Port Thuderbolt to DVI, HDMI & VGA Adaptor (VGA, HDMI, DVI & MiniDP)	
USB Optical Mouse	
Lot 22 - Electronic Devices	P
Digital AV multiple adapter for Apple	2
USB-C port to USB 3.0/2.0/1.1 and USB-C/Male to 3"USB3.0-A/Female+USB-C Power Delivery	
C Tester	3
24-pin or higher display	
24-pin or higher display portable, light, usable with batteries device supported by 74 serial, 40 serial, 75 serial and driver (ULN)	

3	Laptop Storage Cabinet Design: See attached file: Lot 22 Item 4 Laptop storage cabinet.doc Can store 15-20 15° laptop Has charging ports Steel	1	
	Lot 23- Audience Clicker		
1	Audience clickers	2	
	Set of 30		